

L Number	Hits	Search Text	DB	Time stamp
-	85	385/91.ccls. and weld\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:24
-	246	385/89.ccls. and (weld\$4 solder\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:22
-	235	(385/89.ccls. and (weld\$4 solder\$4)) not (385/91.ccls. and weld\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:26
-	48	((385/89.ccls. and (weld\$4 solder\$4)) not (385/91.ccls. and weld\$4)) and vcsel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:26
-	2705	385/88-94.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:01
-	52	385/88-94.ccls. and (transparent adj window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:09
-	12	(385/88-94.ccls. and (transparent adj window)) and vcsel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:02
-	12	385/88-94.ccls. and rojas.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:05
-	223	385/88-94.ccls. and vcsel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:58
-	62	(385/88-94.ccls. and vcsel) and (alignment adj pin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:17
-	7	385/88-94.ccls. and ((photodiode photodetector) adj monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:58
-	72	385/88-94.ccls. and sandwich	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:21
-	9	(385/88-94.ccls. and sandwich) and vcsel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:21

-	156	(385/88-94.ccls. and vcsel) not (((385/88-94.ccls. and vcsel) and (alignment adj pin)) (385/88-94.ccls. and sandwich))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:23
-	126	((385/88-94.ccls. and vcsel) not (((385/88-94.ccls. and vcsel) and (alignment adj pin)) (385/88-94.ccls. and sandwich))) and (detector photodiode photodetector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:23
-	196	(385/88-94.ccls. and vcsel) and (photodiode photodetector detector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:58
-	130	((385/88-94.ccls. and vcsel) and (photodiode photodetector detector)) and (pin pins)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:58
-	71	((385/88-94.ccls. and vcsel) and (photodiode photodetector detector)) and ((385/88-94.ccls. and vcsel) and (photodiode photodetector detector)) and ((align\$4 guide) adj (pin rod))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:59
-	71	((385/88-94.ccls. and vcsel) and (photodiode photodetector detector)) and ((align\$4 guide) adj (pin rod))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:59
-	207	385/88-94.ccls. and (align\$4 with solder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:37
-	17	(385/88-94.ccls. and (align\$4 with solder)) and "X-Y"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:11
-	273	385/89.ccls. and align\$4.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:37
-	120	(385/89.ccls. and align\$4.ti,ab,clm.) and (bond\$4 weld\$4 glue solder\$4 fixed).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:24
-	396	385/88-94.ccls. and (align\$4 with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:37
-	106	385/89.ccls. and (align\$4 with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 14:37
-	2986	385/88-94.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:06
-	224	385/14.ccls. and ((photodiode photodetector) with substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 07:27

-	91	((385/14.ccls. and ((photodiode photodetector) with substrate)) and transparent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 07:35
-	38	((385/14.ccls. and ((photodiode photodetector) with substrate)) and transparent) and (vcSEL (surface with emitt\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 07:35
-	238	385/\$.ccls. and (weld\$4 with plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:08
-	6	385/\$.ccls. and (weld\$4 with plate with (vcSEL emitt\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:15
-	221	(weld\$4 with plate with (vcSEL emitt\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:31
-	3309	(weld\$4 with plate with (vcSEL laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:17
-	17	((weld\$4 with plate with (vcSEL emitt\$4))) and (weld\$4 with plate with (notch aperture groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:17
-	1	((weld\$4 with plate with (vcSEL emitt\$4))) and 359/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:33
-	26	weld\$4 same vcSEL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 09:33